6			Y
(1	Application No.	Applicant(s)	~
9	10/080,650	GOTTWALD ET AL.	
Notice of Allowability	Examiner	Art Unit	
•	Isam A Alsomiri	3662	
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE ME herewith (or previously mailed), a Notice of Allowance (PNOTICE OF ALLOWABILITY IS NOT A GRANT OF PA of the Office or upon petition by the applicant. See 37 CF 1. This communication is responsive to 8/2/04.	RITS IS (OR REMAINS) CLOSED in TOL-85) or other appropriate comm TENT RIGHTS. This application is s	n this application. If not included unication will be mailed in due course. TH	IIS tiative
2. X The allowed claim(s) is/are 1,5-8,17 and 21-23.			
3. The drawings filed on are accepted by the l	Examiner.		
 4. Acknowledgment is made of a claim for foreign p a) All b) Some* c) None of the: Certified copies of the priority docume Certified copies of the priority docume Copies of the certified copies of the priority docume Copies of the certified copies of the printernational Bureau (PCT Rule 17.2(a* * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING noted below. Failure to timely comply will result in ABATHIS THREE-MONTH PERIOD IS NOT EXTENDABLE 	ents have been received. ents have been received in Application in the content of the communication to file and one of this communication to file and one of the communication.	on No d in this national stage application from th	
5. A SUBSTITUTE OATH OR DECLARATION must INFORMAL PATENT APPLICATION (PTO-152) w			-
 CORRECTED DRAWINGS (as "replacement sheet (a) including changes required by the Notice of D 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Expaper No./Mail Date 101804. Identifying indicia such as the application number (see each sheet. Replacement sheet(s) should be labeled as DEPOSIT OF and/or INFORMATION about the control of the Notice of Deposit of Deposi	raftsperson's Patent Drawing Review re xaminer's Amendment / Comment o 37 CFR 1.84(c)) should be written on the such in the header according to 37 CF	r in the Office action of the drawings in the front (not the back) of R 1.121(d).	
attached Examiner's comment regarding REQUIR Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PT		ummary (PTO-413),	
3. Information Disclosure Statements (PTO-1449 or P Paper No./Mail Date	TO/SB/08), 7. 🛛 Examiner's	/Mail Date Amendment/Comment	
 Examiner's Comment Regarding Requirement for D of Biological Material 	Deposit 8. Examiner's 9. Other	Statement of Reasons for Allowance	

Application/Control Number: 10/080,650

Art Unit: 3662

DETAILED ACTION

Drawings

The drawings are objected to because figure 1 should include descriptive labeling to help understand the figure. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

New corrected drawings (figure 1 - FORMAL) in compliance with 37 CFR 1.121(d) are required in this application. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Application/Control Number: 10/080,650

Art Unit: 3662

Allowable Subject Matter

Page 3

Claims 1, 5-8, 17, and 21-23 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isam A Alsomiri whose telephone number is 703-305-5702. The

examiner can normally be reached on Monday-Thursday and every other Friday (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Thomas H Tarcza can be reached on 703-306-4171. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Isam Alsomiri

October 18, 2004

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600